

NT 22/1 AP L

Compact yet unbelievably powerful wet and dry vacuum cleaner entry-level unit. Due to its low weight, the NT 22/1 Ap is ideal for mobile use.



Order no. 1.378-600.0

- Efficient semi-automatic filter cleaning
- Suction hose port in the head of the machine
- Moisture-resistant PES cartridge filter

Technical data

EAN code		4054278287928
Supply voltage	Ph / V / Hz	1 / 220 - 240 / 50 - 60
Air flow	l/s	72
Vacuum	mbar / kPa	249 / 24.9
Container content	l	22
Container material		Plastic
Rated input power	W	max. 1300
Standard nominal width		ID 35
Cable length	m	6
Sound pressure level	dB(A)	71
Weight without accessories	kg	5.7
Weight incl. packaging	kg	8.2
Dimensions (L × W × H)	mm	380 × 370 × 480

Equipment


Suction hose	m	1.9 / with bend
Suction tube	piece(s) × m	2 × 0.5 / Plastic
Filter bag	piece(s)	1 / Fleece
Wet/dry floor nozzle	mm	300
Crevice nozzle		■
Cartridge filter		PES
Filter cleaning		Semi-automatic filter cleaning Ap
Protection class		II
Stop swivel castor		■

■ Included in the scope of supply.



Low weight and compact dimensions

- The machine can be easily and conveniently transported and stored.



Semi-automatic filter cleaning

- Semi-automatic filter cleaning effectively ensures constant high suction power.



Moisture-resistant PES cartridge filter

- It is possible to change from wet to dry vacuum cleaning easily without having to dry the PES cartridge filter first.
- Washable PES filter.

ACCESSORIES FOR NT 22/1 AP L

1.378-600.0



		Order no.	Description	
CARTRIDGE FILTER, STANDARD, UP TO BIA C, DUST CLASS M				
Cartridge filter PES				
Cartridge filter packaged PES	1	2.889-219.0	Moisture-resistant PES cartridge filter for wet and dry vacuum cleaning. Dust class L-certified.	■
BENDS				
Bend, plastic				
Bend, NT, DN 35, plastic, clip 2.0 at hose end, cone at accessory end	2	2.889-199.0	DN 35 plastic bend for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	■
Bend with air-flow regulator, T, DN 35, plastic, antistatic, clip 2.0 at hose end, cone at accessory end	3	2.889-148.0	Antistatic, ergonomic bends with air-flow regulator in size DN 35 for dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	□
Bend, NT, DN 35, plastic, electrically conductive, clip 2.0 at hose end, cone at accessory end	4	2.889-168.0	Electrically conductive, ergonomic plastic bend in size DN 35 for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	□
Bend, NT, DN 35, plastic, clip 2.0 at hose end, cone at accessory end	5	2.889-170.0	Ergonomic DN 35 plastic bend for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	□
SUCTION NOZZLES				
Floor nozzles				
Wet/dry floor nozzle with parking hook, DN 35, 300 mm	6	2.899-811.0	DN 35 plastic wet/dry floor nozzle with side rollers and parking hook. No tools required to change brush strips and squeegees using a clip. Working width 300 mm.	■
Wet/dry floor nozzle, advanced plastic, DN 35	7	2.889-152.0	360 mm wide wet and dry floor nozzle with easy-to-change inserts. Including brush strips and squeegees.	□
Crevice nozzles				
Crevice nozzle, DN 35, plastic, 225 mm	8	2.889-159.0	Crevice nozzle with nominal width DN 35 for Kärcher dry vacuum cleaners and wet and dry vacuum cleaners. Length 225 mm.	■
Car cleaning nozzles				
Ergonomic car nozzle, DN 35, 100 mm	9	2.889-356.0	Ergonomic and compact DN 35 car cleaning nozzle made from plastic with a working width of 100 mm for vehicle interior cleaning. Suitable for all wet and dry vacuum cleaners with DN 35 bends.	□
Car nozzle, DN 35, 90 mm	10	6.906-108.0	Flat angled, convenient, plastic, DN 35 car cleaning nozzle designed for all Kärcher wet and dry vacuum cleaners with bends. Working width: Approx. 90 mm.	□
Rubber suction tools, nose 45°				
Rubber suction tool, nose 45°	11	6.902-104.0	45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	□
NT rubber suction nozzle, bevelled at 45°, DN 40	12	6.902-105.0	45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	□
SUCTION TUBES				
Suction tubes, plastic				
Suction tube set	13	2.889-218.0	Plastic suction tube set, NW 35, grey, 2 -part, each 0.5 metres.	■
Suction tubes, metal				
Suction tube, chrome-plated	14	6.902-074.0	Suction tube, metal, chrome-plated, NW 35. Length: 0.5 metres.	□

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR NT 22/1 AP L

1.378-600.0



		Order no.	Description	
FILTER BAGS				
Fleece filter bags				
Fleece filter bags, 5 x , NT 22/1	15	2.889-217.0	Fleece filter bag, tear-resistant, for NT 22/1 Ap and NT 22/1 Ap Te machines. Dust class-L-certified.	☐
SUCTION HOSES				
Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)				
Suction hose, NT, DN 35, length 2.5 m, clip 2.0, bayonet 2.0	16	2.889-134.0	The suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.	☐
Suction hose, NT, DN 35, length 2.5 m, electrically conductive, clip 2.0, bayonet 2.0	17	2.889-136.0	The electrically conductive suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners.	☐
Extension hose, T and NT, DN 35, length 2.5 m, clip 2.0, connecting adapter	18	2.889-145.0	The extension hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners and dry vacuum cleaners from Kärcher.	☐
CONNECTING SLEEVES				
Connection adapter C ID (clip to cone)				
Adapter clip DN 35 on cone DN 35	19	5.407-005.0	Adapter clip system DN 35 for connecting suction tubes and small nozzles to cone DN 35. Perfect for vehicle interior cleaning, even without the connection of other nozzles.	☐
Connection adapter for power tools, clip-on, electrically conductive				
Tool collar DN 35, clip-on	20	2.889-151.0	Tool adaptor with a rubber fixture and airflow control slide for the new clip system. Suitable for all current electric tools.	☐
Adapter for electric power tools, screwable				
Attachment rubber sleeve	21	5.303-877.0	Rubber tool socket for screwing onto the suction hose.	☐
OTHER ACCESSORIES NT				
Drilling dust nozzle	22	2.679-000.0	Drilling dust nozzle for dust-free vacuuming of boreholes. Suitable for dry and wet and dry vacuum cleaners from Kärcher.	☐
Adapter clip new on clip old DN 35	23	2.889-312.0	Adapter for connection of hoses of the new accessory system of dry and wet and dry vacuum cleaners to bends or extension hoses of the old system. For nominal width DN 35.	☐
Adapter for NT hoses with bayonet connection 1.0	24	5.031-436.0	Electroconductive adapter for connecting NT hoses with bayonet 1.0 connection of nominal widths DN 35, 40, 50 to the new accessory system for wet and dry vacuum cleaners from Kärcher.	☐

■ Included in the scope of supply. □ Available accessories.